TEST REPORT

No. : SHMR220700361301
Date : Oct 08, 2022

scan to see the report
SHMR220700361301

CUSTOMER NAME: KUNSHAN FAIR CRAFT PRODUCTS CO.,LTD.
ADDRESS: NO.298 JIANLIN ROAD, KUNSHAN CITY, CHINA

Sample Name	:	PLA degrading balloon
Country Of Origin	:	China
Manufacturer	:	fair
Other Information	:	Country of Destination: WORLDWIDE

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

****

SGS Ref. No.	:	SHHL2206021281SD
Date of Receipt	:	Jul 26, 2022
Testing Start Date	:	Jul 26, 2022
Testing End Date	:	Oct 08, 2022
Test result(s)	:	For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Pheamia Wang
Authorized signatory

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

No. : SHMR220700361301
Date : Oct 08, 2022

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Biodegradation Test (Composting Method)	ISO 14855-1:2012	See results	Pass

Note: Pass : Meet the requirements;
Fail : Does not meet the requirements;
/ : Not Apply to the judgment.

Test Item: Biodegradation Test (Composting Method)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

Sample Description: Plastic film

Test Method: ISO 14855-1:2012

Test Condition:

Test temperature: (58±2)℃

Composting vessel volume: 3.8L

Numbers of composting vessels:

3 vessels for test material

3 vessels for reference material

3 vessels for blank

Reference material: Cellulose

Source of compost: Self made

Test period: 45 days

Test date: 2022-08-18~2022-10-02

Test Result:

Sample		Percentage biodegradation (See note 1)	Average of percentage biodegradation	Average percentage of biodegradation relative to the reference
Test material	#1	76.6%	77.8%	101.4
	#2	78.3%		
	#3	78.6%		
Reference material	#1	77.2%	76.7%	/
	#2	77.0%		
	#3	76.1%		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

Validity criteria:	Result	Determine
The inoculum in the blank has produced more than 50 mg but less than 150 mg of carbon dioxide per gram of volatile solids (mean values) after 10 days of incubation.	60.9 mg CO_2/g of volatile solids (mean values)	Test is valid
The degree of biodegradation of the reference material is more than 70 % after 45 days	76.7%	
The difference between the percentage biodegradation of the reference material in the different vessels is less than 20 % at the end of the test	The differences were 0.3%, 1.4%, 1.2%	

Original data:

Date	Average of test material CO_2 production (g/ vessel)	Average of reference material CO_2 production (g/ vessel)	Average of blank vessel CO_2 production (g/ vessel)	Average of test material biodegradation (%)	Average of reference material biodegradation (%)	Average of biodegradation relative to the reference (%)
1	1.89	6.85	1.90	0.0	3.2	-0.1
2	4.99	32.99	3.45	1.0	19.2	5.1
3	9.20	46.72	4.62	2.9	27.4	10.7
4	12.63	54.36	5.59	4.5	31.7	14.2
5	15.57	59.81	6.39	5.8	34.7	16.8
6	18.14	63.34	7.24	6.9	36.5	19.0
7	19.72	67.98	7.86	7.6	39.1	19.3
8	22.46	72.50	8.56	8.9	41.6	21.3
9	26.59	74.58	9.46	10.9	42.3	25.8
10	30.65	77.25	10.34	12.9	43.5	29.7
11	34.66	80.28	11.04	15.0	45.0	33.4
12	39.08	83.18	11.82	17.4	46.4	37.4
13	43.60	85.55	12.54	19.8	47.5	41.7
14	46.91	88.68	13.13	21.5	49.1	43.8

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

Date	Average of test material CO_2 production (g/ vessel)	Average of reference material CO_2 production (g/ vessel)	Average of blank vessel CO_2 production (g/ vessel)	Average of test material biodegradation (%)	Average of reference material biodegradation (%)	Average of biodegradation relative to the reference (%)
15	51.44	91.44	13.84	24.0	50.5	47.5
16	57.61	93.97	14.80	27.3	51.5	53.0
17	63.23	96.47	15.62	30.3	52.6	57.7
18	69.32	98.68	16.61	33.6	53.4	62.9
19	74.83	100.22	17.37	36.6	53.9	67.9
20	80.12	101.99	17.89	39.6	54.7	72.5
21	82.93	104.52	18.54	41.0	55.9	73.4
22	88.01	107.41	19.15	43.9	57.4	76.4
23	93.77	111.26	19.82	47.1	59.4	79.2
24	99.16	112.49	20.60	50.0	59.7	83.8
25	103.78	114.57	21.29	52.5	60.6	86.6
26	107.74	116.41	22.05	54.6	61.3	89.0
27	111.03	118.07	22.78	56.2	61.9	90.7
28	113.23	119.86	23.45	57.2	62.7	91.2
29	116.92	122.10	24.13	59.1	63.7	92.8
30	120.84	124.16	24.79	61.2	64.6	94.7
31	125.52	126.29	25.47	63.7	65.5	97.2
32	128.77	128.31	26.17	65.3	66.4	98.4
33	131.60	130.12	26.80	66.7	67.2	99.4
34	134.27	131.92	27.52	68.0	67.9	100.2
35	135.91	133.24	27.93	68.8	68.5	100.4
36	138.53	134.90	28.55	70.0	69.1	101.3
37	141.35	136.74	29.04	71.5	70.0	102.2
38	143.82	138.75	29.67	72.7	70.9	102.5
39	146.03	140.72	30.40	73.6	71.7	102.7

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com
Member of the SGS Group (SGS SA)

TEST REPORT

Date	Average of test material CO_2 production (g/ vessel)	Average of reference material CO_2 production (g/ vessel)	Average of blank vessel CO_2 production (g/ vessel)	Average of test material biodegradation (%)	Average of reference material biodegradation (%)	Average of biodegradation relative to the reference (%)
40	148.00	142.88	31.11	74.4	72.7	102.5
41	149.83	144.42	31.82	75.2	73.2	102.7
42	151.53	146.27	32.56	75.8	73.9	102.5
43	153.09	148.51	33.26	76.3	74.9	101.9
44	155.12	150.65	33.86	77.2	75.9	101.7
45	156.69	152.52	34.47	77.8	76.7	101.4

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com



Test material and average of black vessel(45 days) CO_2 production-time curve



检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

No. : SHMR220700361301
Date : Oct 08, 2022

Reference material and average of black vessel(45 days) CO_2 production-time curve



Each vessel for test material(45 days) percentage biodegradation-time curve



Each vessel for reference material(45 days) percentage biodegradation-time curve

检验检测专用章 Inspection & Testing Services
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

No. : SHMR220700361301
Date : Oct 08, 2022



Test material(45 days) average percentage biodegradation-time curve



Test material(45 days) average biodegradation relative to the reference -time curve

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

Note:

1. Percentage biodegradation (%) = [Each vessel total CO_2 production (g) – Average of blank vessel total CO_2 production (g)] / Material theoretical amount of CO_2 production (g) ×100

2. Method of CO_2 determination: The CO_2 in the exhaust air was determined by measuring the gain in mass of CO_2 trapped by absorbents.

3. Properties of test material:

Sample	Dry solids(g)	Total dry solids(%)	Total organic carbon(TOC) in dry solids (%)	Theoretical amount of CO_2 production (CO_2 g / vessel)
Tested material	100	99.76	42.82	157.01
Reference material	100	95.87	41.95	153.82

4. Properties of compost:

Dry solids (g)	Total dry solids(%)	Volatile solids(%)	Total organic carbon(TOC) in dry solids (%)	Total organic nitrogen in dry solids (%)	The ratio between organic carbon and nitrogen	pH
600	59.05	28.30	17.40	1.59	10.9	7.9

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.
8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com

TEST REPORT

No. : SHMR220700361301
Date : Oct 08, 2022

Original Sample Photo:



Original sample A

Before test

After test

Appendix information:

In the territory of the People's Republic of China, the test report without CMA logo expresses the test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc., and just for client internal reference.

******** End of report********

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. Testing Center Materials & Reliability Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

8th building,No.69,Block 1159,Kangqiao East Road, Pudong District, Shanghai, China 201319 t (86-21) 61196300 f (86-21) 68183920 www.sgsgroup.com.cn
中国·上海·上海浦东康桥东路1159弄69号8号楼 邮编: 201319 t (86-21) 61196300 f (86-21) 68183920 e sgs.china@sgs.com